ROBBIALAC

ENAMEL For Exterior and Interior use



E 6—BISCUNT

E3-43C001

E3I-IVORY 67-

EX-SURSHINE CREAM E 12-OTSTER

EA-LIGHT STONE E IN-LETTUCE

ET-NID SIONE E22-ORANGE

E IN-DEEP STONE E 25-CHOCOLATE

E23-GOLDEN BROWN C28-INDIAN 8CD

634-EICH BROWN 624-SIGNAL MO

IALACO MEL

2-077 WHITE E3-850KEN WHITE

EJA-POTE GREEN E 1-DEEP CREAM

E.IA—POXIE GREEN E I—DEEP CHEAM

E 32—SHELL MINK E 13—HORIZON BLUE

0.40

E II-MIST GREY E IT-LIGHT GTEEN

EIN-LASE GREEN EIZ-MIG GREEN

E IN-LAKE GREEN E M-MID GREEN

619-FADRIESS GARRY SZI-SEEF GARRY

EID-PADELESS DREEN EZI-DEEP GREEN

E.D-CHERRY MO 62-AZURE MOR

E 71-MAROON E 31-03508D BUS

From the collections of Sydney Living Museums / Historic Houses Trust of NSW



1821

DIRECTIONS FOR USE:

New Work, Wood (Inside and Outside):

Apply one cost of Robbielic Wood Primer, allow to day for 46 knows and then apply one cost of Robbielic Undercost. Finish with one or two costs of Robbielic Enemal Scaff Robbielic lightly between costs with fine observe paper, and dust all before applying second cost. Allow at lives!

(J. & N. Standard Undercoat may be used as a Primer with the addition of three (3) pints of Raw Linead Oil to the gellon and as an Undercoat straight from the oat.)

Metal Surfaces:

For New Inside and Ostside Work: Apply concept of J. Jr. N. Metallum Househald Media Prises, followed by one cost of Robbisleo Undercost or Robbisleo Priners Surface. Lightly scaff between all costs with Res abreitive paper and dust all Frinch with one are two costs of Robbisleo Enswell. Allow at least overright drying between coats.

Previously Pointed Surfaces (Wood or Meted): Fee lossified or Outside Work: Distant that its surface is feen from drd, greate end were. If this surface is feen from drd, greate end were. If this surface is feen from the feel bearing paper) should give a perfectly entitledney yell. If an understand it necessary, see Robbine Understanding Allow it less oversight on its distance of the feel perfectly and the surface of the feel perfectly and its distance of the feel perfectly and the feel perfectly and the surface of the feel perfectly and the removal and proceed as for mere work.

JENSON & MICHOLSON (AUST.) PTY. LTD.

ALEXANDRIA, N.S.W.